



Ivanhoe No.2 Colliery EPL 631

Environmental Monitoring Data

August 2018

TABLE OF CONTENTS 1. INTRODUCTION	1
2. AIR QUALITY MONITORING	2
3. SURFACE WATER QUALITY	3
3. INCIDENTS	3
4. COMPLAINTS	3
5. CORRECTION LOG	3
FIGURES	
Figure 1 - Depositional Dust 12-month rolling average August 2017 – July 2018	2
TABLES	
Table 1 – Licence Information	1
Table 2 – Supporting Information for Monitoring Points	1
Table 3 – Depositional Dust (g/m2/month)	2
Table 4 – Water Quality Monitoring Results	3

1. INTRODUCTION

As per conditions M1 to M5 of EPL 631, this report summarises environmental monitoring results for Ivanhoe No.2 Colliery for the August 2018 period. Monitoring sites are shown in Appendix 1.

A summary of the licence information is provided in the following tables.

Table 1 shows the licence information and Table 2 summarises the dates and units for monitoring data for the reporting period. LDP002 and LDP004 did not discharge during the reporting period and therefore sampling of discharge was not required.

Table 1 - Licence Information

Environment Protection Licence Number	631
Licensee's Name	Ivanhoe Coal Pty Ltd
Licensee's Address	Level 18, BT Tower, 1 Market Street Sydney NSW 2000
Link to full license on the EPA website	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=31062 &SYSUID=1&LICID=631

Table 2 - Supporting Information for Monitoring Points

Parameter	Monitoring Frequency	Unit of	August 2018	
		Measure	Sampling Date	Published Date
LDP002 (Point 2) Oil & Grease	Monthly during discharge	mg/L	No discharge	N/A
LDP002 (Point 2) pH	Monthly during discharge	pH units	No discharge	N/A
LDP002 (Point 2) Total Suspended Solids	Monthly during discharge	mg/L	No discharge	N/A
LDP002 (Point 2) Filterable iron	Monthly during discharge	mg/L	No discharge	N/A
LDP004 (Point 4) Oil & Grease	Monthly during discharge	mg/L	No discharge	N/A
LDP004 (Point 4) pH	Monthly during discharge	pH units	No discharge	N/A

2. AIR QUALITY MONITORING

The air quality monitoring results for the reporting period are summarised in Table 3.

Table 3 – Depositional Dust (g/m2/month)

D	G-1
11	I.6. ¹

EPL 631 does not require air quality to be monitored and hence does not include a licence limit for depositional dust. A 12-month rolling average air quality criteria of 4 g/m²/month is commonly used for comparison purposes (Figure 1).




Figure 1 - Depositional Dust 12-month rolling average August 2017 - July 2018

¹ The depositional dust value for DG-1 for August 2018 is indicative only and not the final result. Centennial are awaiting results from fine particle analysis at the time of publication of this report. Confirmation of the final result will be provided in future reports in the correction log.

3. SURFACE WATER QUALITY

Surface water pH, total suspended solids, filterable iron and oil & grease are monitored at LDP002 during discharges (Table 4). Surface water pH and oil & grease are monitored at LDP004 during discharges. There were no discharges from LDP002 or LDP004 in August 2018 therefore there were no opportunities to collect samples.

Table 4 – Water Quality Monitoring Results

Discharge Point	Parameter	Unit of Measure	EPA Limit	August 2018 Results
LDP002	рН	рН	6.5 – 8.5	N/A
LDP002	Total Suspended Solids	mg/L	30	N/A
LDP002	Filterable Iron	mg/L	3	N/A
LDP002	Oil & Grease	mg/L	10	N/A
LDP004	рН	рН	6.5 – 8.5	N/A
LDP004	Oil & Grease	mg/L	10	N/A

3. INCIDENTS

No incidents occurred at Ivanhoe No.2 Colliery during the reporting period.

4. COMPLAINTS

No complaints were received in regard to Ivanhoe No.2 Colliery during the reporting period.

5. CORRECTION LOG

No corrections to previously published data are required.

Appendix 1

Monitoring Site Locations

Environmental Monitoring Results Summary – Ivanhoe No.2 Colliery

