



Charbon Coal Environmental Monitoring Data

September 2018



TABLE OF CONTENTS

Introduction	4
Surface water quality	4
Water volume	8
Air Quality Monitoring	9
Noise Monitoring	13
Complaints Register	17
Weather	17
Waste	18
APPENDIX 1: CHARBON COLLIERY SENSITIVE RECEIVER AND MONITORING LOCATIONS	19
TABLES	
TABLES	
Table 1 – Colliery Information	4
Table 2 – Daily Sampling Results	4
Table 3 – Depositional Dust	9
Table 4 – HVAS TSP Nioka	10
Table 5 – HVAS PM10 Nioka	12
Table 6 – June Daytime Noise Monitoring	14
Table 7 – June Evening Noise Monitoring	15
Table 8 – June Night Noise Monitoring	16
Table 9 – Complaints Register for Charbon Colliery 2018	17
Table 10 – Meteorological Data for Charbon Colliery	17
Table 11 - Drilling Mud Received at Charbon Colliery	18

FIGURES

Figure 1 – Surface Water pH Results	6
Figure 2 – Surface Water Total Suspended Solids (TSS) Results	6
Figure 3 – Surface Water Oil & Grease Results	7
Figure 4 – Surface Water Electrical Conductivity (EC) Results	7
Figure 5 – Surface Water Turbidity Results	8
Figure 6 – Discharged Water Volume (ML) 2018	8
Figure 7 – Monthly Depositional Dust 2018	10
Figure 8 – HVAS TSP Nioka	11
Figure 9 – HVAS PM10 Nioka	13
Figure 10 – June Daytime Noise Monitoring	14
Figure 11 – June Evening Noise Monitoring	15
Figure 12 – June Night Noise Monitoring	16
Figure 13 – Charbon Colliery Meteorological Data	18
Figure 14 – Charbon Colliery Sensitive Receiver and Monitoring Locations	20

INTRODUCTION

This monitoring report is to satisfy the requirements under the *Protection of the Environment Legislation Amendment Act 2011 (POELA Act)* to publish or make pollution monitoring data available to members of the public.

This report summarises environmental monitoring results for Charbon Colliery for the period of September 2018.

Table 1 – Colliery Information

	Colliery Information								
Premises Details	Charbon Colliery								
Address	Charbon Rd Charbon NSW 2848								
Licensee	Charbon Coal Pty Ltd								
EPL no	528								
EPL location	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx ?DOCID=32415&SYSUID=1&LICID=528								

SURFACE WATER QUALITY

The following parameters are monitored at Licenced Discharge Points (LDP) LDP002, LDP003, LDP004, LDP005 and LDP006 daily during discharge in accordance with the requirements of Environmental Protection Licence Number 528 (EPL 528).

Table 2 shows a summary of the monitoring results.

Table 2 - Daily Sampling Results

Data Published:	Oct 2018	Licensee:	Charbon C	oal Pty Ltd							
Data Sampled:	Sept 2018	Address:	Charbon R	d Charbon N	ISW 2848						
Data Obtained:	01/10/2018	EPL No.	528								
LDP002											
Date	рН	EC (μS/cm)	Turbidity (NTU)	TSS (mg/L)	Oil & Grease (mg/L)	Compliant					
Limit	6.5 - 8.5	Monitor Only	50	50	10						
No Discharge											
		LDP0	03								
Date	рН	EC (μS/cm)	Turbidity (NTU)	TSS (mg/L)	Oil & Grease (mg/L)	Compliant					
Limit	6.5 - 8.5	Monitor Only	50	50	10						
No Discharge											

		LDP0	04								
Date	рН	EC (μS/cm)	Turbidity (NTU)	TSS (mg/L)	Oil & Grease (mg/L)	Compliant					
Limit	6.5 - 8.5	Monitor Only	50	50	10						
No Discharge											
LDP005											
Date	рН	EC (μS/cm)	Turbidity (NTU)	TSS (mg/L)	Oil & Grease (mg/L)	Compliant					
Limit	6.5 - 8.5	Monitor Only	50	50	10						
No Discharge											
		LDP0	06								
Date	рН	EC (μS/cm)	Turbidity (NTU)	TSS (mg/L)	Oil & Grease (mg/L)	Compliant					
Limit	6.5 - 8.5	Monitor Only	50	50	10						
No Discharge											

There were no discharges of water from licensed discharge points during the reporting period.

Figures 1 - 5 below show a summary of the surface water monitoring results from January to December 2018 for LDP002, LDP003, LDP004, LDP005 and LDP006.




Figure 1 - Surface Water pH Results




Figure 2 – Surface Water Total Suspended Solids (TSS) Results




Figure 3 - Surface Water Oil & Grease Results




Figure 4 – Surface Water Electrical Conductivity (EC) Results




Figure 5 - Surface Water Turbidity Results

WATER VOLUME

The volume of water discharged off site is measured through licensed discharge points (LDPs). EPL 528 sets limits on the maximum volume of water to be discharged for a given period. There were no discharges of water from licensed discharge points during the reporting period.




Figure 6 - Discharged Water Volume (ML) 2018

AIR QUALITY MONITORING

The air quality monitoring results for the reporting period are summarised in Table 3, Table 4 and Table 5 below.

Depositional Dust

Depositional dust (g/m²/mth) results (insoluble solids) for the reporting period are shown in Table 3. Monthly depositional dust (g/m²/mth) results for January to December 2018 are shown graphically in Figure 7.

Table 3 - Depositional Dust

Colliery Name	Dust Gauge No	Dust Gauge No Date Sampled			
Charbon	DM - South	10/08/2018 - 10/09/2018	1.7		
Charbon	DM - West	10/08/2018 - 10/09/2018	1.5		
Charbon	Nioka	10/08/2018 - 10/09/2018	1.3		
Charbon	Pit Top	10/08/2018 - 10/09/2018	1.7		

DM - Dust Gauge

- 1. Annual Average Limit (4 g/m²/mth)
- 2. Maximum increase in deposited dust level (2 g/m²/mth) (annual average limit)

The Air Quality Management Plan at Charbon Colliery was reviewed during 2018 and was approved by the Department of Planning and Environment on 29 June 2018. The revised air quality monitoring program requires depositional dust gauge monitoring to be undertaken at the DM-South, DM-West, Nioka and Pit Top monitoring locations.

Depositional dust gauge (DDG) monitoring data indicated that dust deposition results for September 2018 ranged from 1.3 g/m²/mth to 1.7 g/m²/mth. EPL 528 does not include a license limit for depositional dust; however, a maximum total deposited dust level of 4 g/m²/mth and a maximum increase in deposited dust level (2 g/m²/mth) is set by conditions included in Charbon's Project Approval. The depositional dust levels complied with the limits prescribed in the Project Approval during the reporting period.






Figure 7 – Monthly Depositional Dust 2018

High Volume Air Sampling (HVAS)

High volume air samplers monitored Particulate Matter (PM) concentrations (less than 10 micrometres in size) and Total Suspended Particulates (TSP) during the reporting period. A summary of monitoring results is provided in Table 4 and Table 5 and shown graphically in Figure 8 and Figure 9, below.

Table 4 - HVAS TSP Nioka

Data Published: October 2018 Licensee: Charbon Coal Pty Ltd											
Data Sampled:	Ja	nuary – S	September	2018		Addr	ess:	Charbon Rd	Charbon N	SW 2848	
Data Obtained:		26/	09/2018			EPL	No.	528			
Date	01/01/2018	07/01/2018	13/01/2018	19/01/2018	25/01/2018	31/01/2018	06/02/2018	12/02/2018	18/02/2018	24/02/2018	02/03/2018
TSP (ug/m³) 24 hr concentration	*	36.6	35.8	26.6	28.6	16.9	16.4	34.2	57.9	21.1	20.2
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90
Date	08/03/2018	14/03/2018	20/03/2018	26/03/2018	01/04/2018	07/04/2018	13/04/2018	19/04/2018	25/04/2018	01/05/2018	07/05/2018
TSP (ug/m³) 24 hr concentration	11.3	25.5	54.9	18.2	29.7	29.4	45.8	17.8	31.1	10.2	21.4
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90

Date	13/05/2018	19/05/2018	25/05/2018	31/05/2018	06/06/2018	12/06/2018	18/06/2018	24/06/2018	30/06/2018	06/07/2018	12/07/2018
TSP (ug/m³) 24 hr concentration	7.5	12.8	18.2	8.4	3.1	10.8	4.6	6.5	7.5	14.8	13.5
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90
Date	18/07/2018	24/07/2018	30/07/2018	05/08/2018	11/08/2018	17/08/2018	23/08/2018	29/08/2018	04/09/2018	10/09/2018	16/09/2018
TSP (ug/m³) 24 hr concentration	140	29.3	17.3	26.1	31.0	21.7	17.0	11.2	4.9	11.4	8.7
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90
Date	22/09/2018										
TSP (ug/m³) 24 hr concentration	23.8										
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90

^{*}Power supply to units is intermittent and run times and flow could not be determined.




Figure 8 – HVAS TSP Nioka

Table 5 - HVAS PM10 Nioka

Data Published:			ber 2018	2212	Licensee: Charbon Coal Pty Ltd Address: Charbon Rd Charbon NSW 2848						
Data Sampled: Data Obtained:	Jai		September 09/2018	2018				Charbon Rd 528	Charbon N	SW 2848	
Data Obtained:		20/	J9/2018			EPL	. INO.	028			
Date	01/01/2018	07/01/2018	13/01/2018	19/01/2018	25/01/2018	31/01/2018	06/02/2018	12/02/2018	18/02/2018	24/02/2018	02/03/2018
PM10 (ug/m³) 24 hr concentration 24 hr PM10 limit	13.7 50	17.0 50	18.9 50	16.6 50	22.6 50	10.8 50	10.1 50	20.2	40.2 50	20.6 50	14.3 50
12 month average PM10 limit	30	30	30	30	30	30	30	30	30	30	30
Date	08/03/2018	14/03/2018	20/03/2018	26/03/2018	01/04/2018	07/04/2018	13/04/2018	19/04/2018	25/04/2018	01/05/2018	07/05/2018
PM10 (ug/m³) 24 hr concentration	7.4	15.4	28.2	11.6	17.5	20.6	19.3	10.7	23.8	7.6	10.3
24 hr PM10 limit 12 month average PM10 limit	50 30	50 30	50 30	50 30	50 30	50 30	50 30	30	50 30	50 30	50 30
Date	13/05/2018	19/05/2018	25/05/2018	31/05/2018	06/06/2018	12/06/2018	18/06/2018	24/06/2018	30/06/2018	06/07/2018	12/07/2018
PM10 (ug/m³) 24 hr concentration	4.8	5.7	13.7	5.2	2.7	4.9	4.2	4.2	6.1	6.7	9.6
24 hr PM10 limit	50	50	50	50	50	50	50	50	50	50	50
12 month average PM10 limit	30	30	30	30	30	30	30	30	30	30	30
Date	18/07/2018	24/07/2018	30/07/2018	05/08/2018	11/08/2018	17/08/2018	23/08/2018	29/08/2018	04/09/2018	10/09/2018	16/09/2018
PM10 (ug/m³) 24 hr concentration	68.6	14.1	8.8	17.2	13.8	11.5	10.4	7.4	2.1	13.6	30.0
24 hr PM10 limit	50	50	50	50	50	50	50	50	50	50	50
12 month average PM10 limit	30	30	30	30	30	30	30	30	30	30	30
Date	22/09/2018										
PM10 (ug/m³) 24 hr concentration	12.3								_	_	
24 hr PM10 limit	50	50	50	50	50	50	50	50	50	50	50
12 month average PM10 limit	30	30	30	30	30	30	30	30	30	30	30




Figure 9 - HVAS PM10 Nioka

In accordance with Condition 19 of Schedule 3 in Project Approval 08_0211, TSP have an annual average limit of 90 μ g/m³, whilst particulate matter less than PM₁₀ have a 24 hour limit of 50 μ g/m³ and an annual average limit of 30 μ g/m³.

The monitoring results for the reporting period were below the limits prescribed in Project Approval 08_0211. Referring to Table 4 and Table 5 and corresponding Figure 8 and Figure 9, there have been no exceedances for the reporting period.

NOISE MONITORING

Noise monitoring was conducted quarterly to measure the ambient noise levels at the focus receptor locations (potentially worst affected) surrounding the mine and coal handling facilities in accordance with Condition 1 of Schedule 3 in Project Approval 08_0211 and the Charbon Coal Pty Ltd Noise Management Plan.

The noise surveys comprise of operator attended monitoring in 15 minute intervals coinciding with day, evening and night-time periods. Statistical indices recorded include LAmax, LA1, LA10, LA90 and LAeq. The results of noise monitoring conducted on the 4th and 5th of June 2018 can be seen in Tables 6, 7 and 8 and shown graphically in Figures 10, 11 and 12 below. All locations at all times were compliant with the conditions in the Project Approval. The location of the focus receptors is provided in Figure 14 in Appendix 1.

Table 6 – June Daytime Noise Monitoring

Data Publish Data Sample	ed: 05/0		6/18	Add	nsee: ress:	: Charbon Rd Charbon NSW 2848				
Data Obtain		22/0	6/18 se Level		. No.			528		
Day	LA max	LA ₁	LA ₁₀	LA ₉₀	LA _{eq}	Estimated Mine Contribution LA _{eq} (15 minute)*	Description of Noise Emissions	Date/Start Time/Weather		
Location A	61	56	43	26	42	IA	Birds = up to 52 dB Breeze = up to 30 dB Aircraft = up to 61 dB	05/06/2018 09:33 W = 3.6m/s Temp = 10°C VTG = -1.6°C/100m		
Location L	61	51	32	22	37	NM	Birds = up to 61 dB Breeze = up to 26 dB Dogs = up to 30 dB Residential noise = less than 30 dB	05/06/2018 09:10 W = 2.9m/s Temp = 9°C VTG = -1.8°C/100m		
Location P	48	41	36	29	33	NM	Breeze = up to 35 dB Birds = up to 31 dB Dogs = up to 48 dB Industrial continuum = up to 34 dB Cows = up to 40 dB	05/06/2018 08:44 W = 2.3m/s Temp = 9°C VTG = -1.6°C/100m		
Noise consent limits with units of measure						35				

Day Noise Monitoring, Charbon Colliery, 05/06/2018




Figure 10 – June Daytime Noise Monitoring

Table 7 – June Evening Noise Monitoring

Data Publisi Data Sample Data Obtain	ed:	July 2 04/0 22/06	6/18	Addı	nsee: ress: . No.			arbon Coal Pty Ltd harbon NSW 2848 528
			se Level					<u> </u>
Evening	LA max	LA ₁	LA ₁₀	LA ₉₀	LA _{eq}	Estimated Mine Contribution LA _{eq} (15 minute)*	Description of Noise Emissions	Date/Start Time/Weather
Location A	48	29	25	17	22	IA	Birds = up to 48 dB Frogs = up to 26 dB Water drops = 21 dB	04/06/2018 19:20 W = 1.7m/s Temp = 10°C VTG = 3.0°C/100m
Location L	66	61	56	25	50	IA	Industrial continuum = up to 20 dB Breeze = up to 30 dB Dogs = up to 66 dB	04/06/2018 18:49 W = 2.3m/s Temp = 10°C VTG = 3.0°C/100m
Location P	43	37	34	29	32	IA	Industrial continuum = up to 31 dB Breeze = up to 43 dB Road traffic = up to 39 dB Dogs = up to 37 dB	04/06/2018 18:20 W = 1.7m/s Temp = 12°C VTG = 3.0°C/100m
Noise consent limits with units of measure						35		

Evening Noise Monitoring, Charbon Colliery, 04/06/2018




Figure 11 – June Evening Noise Monitoring

Table 8 – June Night Noise Monitoring

Data Publis Data Samp Data Obtai	oled: ned:	July 2 04/0 22/06	6/18 6/18	Addı EPL	No.	:: Charbon Rd Charbon NSW 2848				
Night	Measur LA max	ed Nois	Se Leve	ls dB(A)	LA _{ea}	Estimated Mine Contribution LA _{eq} (15 minute)*	Description of Noise Emissions	Date/Start Time/Weather		
Location A	37	28	25	22	23	IA	Metallic expansion = up to 37 dB Breeze = up to 28 dB Birds = up to 26 dB	04/06/2018 22:52 W = 1.5m/s Temp = 8°C VTG = 3.0°C/100m		
Location L	40	34	30	26	28	IA	Breeze = up to 40 dB Industrial continuum = up to 29 dB	04/06/2018 22:28 W = 1.7m/s Temp = 9°C VTG = 3.0°C/100m		
Location P	56	37	34	29	32	IA	Industrial continuum = up to 37 dB Aircraft = 56 dB Breeze = up to 36 dB Road traffic = up to 37 dB	04/06/2018 22:00 W = 1.8m/s Temp = 9°C VTG = 3.0°C/100m		
Noise consent limits with units of measure			*			35				

Night Noise Monitoring, Charbon Colliery, 04/06/2018




Figure 12 – June Night Noise Monitoring

COMPLAINTS REGISTER

There were no complaints made to Charbon Colliery during the September 2018 reporting period. Table 9 below, shows a summary of the complaints received by Charbon Colliery for 2018. Complaints are also listed on the Complaints Register on the Centennial Coal - Charbon website.

Table 9 - Complaints Register for Charbon Colliery 2018

Data Published:		October 2018			Licensee:		Charbon Coal Pty Ltd						
Data Sampled:	ıta Sampled:		Jan - Sept 2018			Address:		Charbon Rd Charbon NSW 2848					
Data Obtained:			01/10/2018			EPL No.			528				
	Jan- 18	Feb- 18	Mar- 18	Apr- 18	May- 18	Jun- 18	Jul- 18	Aug- 18	Sep- 18	Oct- 18	Nov- 18	Dec- 18	Annual Total
Air	0	0	0	0	0	0	0	0	0	-	-	-	0
Water	0	0	0	0	0	0	0	0	0	-	-	-	0
Noise	0	0	0	0	0	0	0	0	0	-	-	-	0
Flora & Fauna	0	0	0	0	0	0	0	0	0	-	-	-	0
Subsidence	0	0	0	0	0	0	0	0	0	-	-	-	0
Waste	0	0	0	0	0	0	0	0	0	-	-	-	0
Other	0	0	0	0	0	0	0	1	0	-	-	-	0
	•	•	•	•	•	•	•	•	•	•	•	•	1

WEATHER

A summary of temperature and rainfall data recorded at the on-site meteorological monitoring station during the reporting period is shown in Table 10 below, and graphically in Figure 13.

Table 10 - Meteorological Data for Charbon Colliery

Data Published: Data Sampled: Data Obtained:	October 2018 Jan – Sept 2018 10/10/2018	Licensee: Address: EPL No.	Charbon	Charbon Coal Pty Ltd Rd Charbon NSW 2848 528
Month	Total Rainfall (mm)	Minimum Temperature (°C)	Maximum Temperature (°C)	Average Temperature (°C)
Jan-18	39.6	9.7	37.7	22.8
Feb-18	64.8	10.3	35.9	20.6
Mar-18	27.6	5.0	32.9	19.0
Apr-18	24.2	6.8	30.4	16.9
May-18	15.6	0.1	22.2	10.6
Jun-18	41.4	-3.1	16.2	7.8
Jul-18	10.0	-4.8	18.1	7.5

Aug-18	54.2	-3.4	18.5	7.8
Sep-18	43.0	0.0	25.4	11.2
Oct-18	-	-	-	-
Nov-18	-	-	-	-
Dec-18	-	-	-	-




Figure 13 - Charbon Colliery Meteorological Data

WASTE

The volume of drilling mud and/or muddy waters from drilling operations received at Charbon Colliery is monitored weekly in accordance with the requirements of Environmental Protection Licence Number 528 (EPL 528). Table 11 shows a summary of the drilling mud received at Charbon Colliery from exploration boreholes drilled during 2018. There was no drilling mud received at Charbon Colliery during the reporting period.

Table 11 - Drilling Mud Received at Charbon Colliery

Data Published:	July 2018 Licensee:		Charbon Coal Pty Ltd			
Data Sampled:	May 2018	Address:	Charbon Rd Charbon NSW 2848			
Data Obtained:	30/05/2018	EPL No.	528			
	Volume of Drilling Mud					
Date	Volun	ne of Drilling Mud	Volume Limit			

APPENDIX 1: CHARBON COLLIERY SENSITIVE RECEIVER AND MONITORING LOCATIONS




Figure 14 – Charbon Colliery Sensitive Receiver and Monitoring Locations

Centennial Coal Company Limited

P O Box 1000

Toronto NSW 2283

www.centennialcoal.com.au

